

**Safety Data Sheet**  
**Solvent 142-66**

Version 1.9

Revision Date: 09/03/2019

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION****Product name** : Solvent 142-66**Recommended use of the chemical and restrictions on use**

Recommended use : Solvent.

**Manufacturer or supplier's details****Company** : Univar Solutions USA, Inc.  
**Address** : 3075 Highland Pkwy Suite 200  
Downers Grove, IL 60515  
United States of America (USA)**Emergency telephone number:**Transport North America: CHEMTREC (1-800-424-9300)  
CHEMTREC INTERNATIONAL Tel # 703-527-3887**Additional Information:** : Responsible Party: Product Compliance Department  
E-mail: SDSNA@univarsolutions.com  
SDS Requests: 1-855-429-2661  
Website: www.univarsolutions.com**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**Flammable liquids : Category 4  
Acute toxicity (Inhalation) : Category 4  
Skin irritation : Category 2  
Eye irritation : Category 2B  
Specific target organ toxicity  
- single exposure : Category 3 (Central nervous system)  
Aspiration hazard : Category 1**GHS label elements**Hazard pictograms : 

Signal word : Danger

Hazard statements : H227 Combustible liquid.  
H304 May be fatal if swallowed and enters airways.  
H315 + H320 Causes skin and eye irritation.  
H332 Harmful if inhaled.  
H336 May cause drowsiness or dizziness.

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

Precautionary statements : **Prevention:**  
 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 Wash skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P280 Wear protective gloves/ eye protection/ face protection.  
**Response:**  
 P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.  
 P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P331 Do NOT induce vomiting.  
 P332 + P313 If skin irritation occurs: Get medical advice/ attention.  
 P337 + P313 If eye irritation persists: Get medical advice/ attention.  
 P362 Take off contaminated clothing and wash before reuse.  
 P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
**Storage:**  
 P403 + P233 Store in a well-ventilated place. Keep container tightly closed.  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.  
**Disposal:**  
 P501 Dispose of contents/ container to an approved waste disposal plant.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

#### Hazardous components

CAS-No.	Chemical name	Weight percent
64742-48-9 / 64742-47-8	Naphtha (pet), hydrotreated heavy AND/OR Distillates (pet), hydrotreated light	90 - 100

Actual concentration is withheld as a trade secret  
 Any Concentration shown as a range is due to batch variation.

### SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

- Show this safety data sheet to the doctor in attendance.  
Symptoms of poisoning may appear several hours later.  
Do not leave the victim unattended.
- If inhaled : Consult a physician after significant exposure.  
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Flush eyes with water as a precaution.  
Remove contact lenses.  
Protect unharmed eye.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- Remove contact lenses.  
Rinse immediately with plenty of water, also under the eyelids,  
for at least 15 minutes.
- If swallowed : Keep respiratory tract clear.  
Do not induce vomiting without medical advice.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.  
Take victim immediately to hospital.

#### SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Alcohol-resistant foam
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : Do not allow run-off from fire fighting to enter drains or water courses.  
  
Do not use a solid water stream as it may scatter and spread fire.  
Cool closed containers exposed to fire with water spray.
- Hazardous combustion products : No hazardous combustion products are known
- Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.  
For safety reasons in case of fire, cans should be stored separately in closed containments.

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

- Use a water spray to cool fully closed containers.
- Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.  
Use personal protective equipment.

---

#### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.  
Ensure adequate ventilation.
- : Evacuate personnel to safe areas.  
Keep people away from and upwind of spill/leak.  
Material can create slippery conditions.
- Environmental precautions : Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.
- Local authorities should be advised if significant spillages cannot be contained.
- Methods and materials for containment and cleaning up : Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).  
Keep in suitable, closed containers for disposal.

---

#### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Do not spray on a naked flame or any incandescent material.  
Keep away from open flames, hot surfaces and sources of ignition.
- Keep away from combustible material.
- Advice on safe handling : Avoid formation of aerosol.  
Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Provide sufficient air exchange and/or exhaust in work rooms.  
Dispose of rinse water in accordance with local and national regulations.
- Avoid contact with skin and eyes.
- Conditions for safe storage : No smoking.  
Keep in a well-ventilated place.

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Observe label precautions.  
Electrical installations / working materials must comply with the technological safety standards.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
64742-48-9 / 64742-47-8	Naphtha (pet), hydrotreated heavy AND/OR Distillates (pet), hydrotreated light	TWA	500 ppm 2,000 mg/m <sup>3</sup>	OSHA Z-1
		TWA	400 ppm 1,600 mg/m <sup>3</sup>	OSHA P0

### Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.  
In the case of vapour formation use a respirator with an approved filter.

### Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water  
Tightly fitting safety goggles

Skin and body protection : Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Protective measures : Wear suitable protective equipment.  
Avoid contact with skin.  
When using do not eat, drink or smoke.

Hygiene measures : When using do not eat or drink.  
When using do not smoke.  
Wash hands before breaks and at the end of workday.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : Clear, Colorless

**Safety Data Sheet**  
**Solvent 142-66**

Version 1.9

Revision Date: 09/03/2019

Odour	: hydrocarbon-like
Odour Threshold	: No data available
pH	: No data available
Freezing Point	: No data available
Boiling Point (Boiling point/boiling range)	: 179 - 213.9 °C (354 - 417.0 °F)
Flash point	: 61 - 66 °C (142 - 151 °F) Method: Pensky-Martens closed cup
Evaporation rate	: < 1 (Butyl Acetate = 1)
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 0.22 - 0.54 mmHg @ 20 °C (68 °F)
Relative vapour density	: No data available
Relative density	: 0.78 - 0.81 @ 15.5 °C (59.9 °F) Reference substance: (water = 1)
Density	: 0.780 - 0.81 g/cm <sup>3</sup> @ 15.5 °C (59.9 °F)
Solubility(ies) Water solubility	: insoluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity Viscosity, kinematic	: 1.38 - 1.8 mm <sup>2</sup> /s @ 40 °C (104 °F)

**SECTION 10. STABILITY AND REACTIVITY**

Reactivity	: No dangerous reaction known under conditions of normal use.
Chemical stability	: Stable under normal conditions.

**Safety Data Sheet**  
**Solvent 142-66**

Version 1.9

Revision Date: 09/03/2019

Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources. Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.  Do not allow evaporation to dryness.
Incompatible materials	: Oxidizing agents Strong acids Strong bases Strong oxidizing agents
Hazardous decomposition products	: Carbon oxides

**SECTION 11. TOXICOLOGICAL INFORMATION****Information on likely routes of exposure**

Skin Absorption

**Acute toxicity****Product:**

Acute inhalation toxicity : Acute toxicity estimate: 11.11 mg/l  
Exposure time: 4 h  
Test atmosphere: vapour

Acute dermal toxicity : Acute toxicity estimate: 2,020 mg/kg

**Components:****64742-48-9 / 64742-47-8:**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg  
Assessment: The substance or mixture has no acute oral toxicity

Acute inhalation toxicity : LC50 (Rat): mg/m<sup>3</sup> > 5610  
Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg  
Assessment: The substance or mixture has no acute dermal toxicity

**Skin corrosion/irritation****Components:****64742-48-9 / 64742-47-8:**

Species: Rabbit

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

Exposure time: 24 h  
Result: Irritating to skin.

#### Serious eye damage/eye irritation

##### Components:

**64742-48-9 / 64742-47-8:**

Species: Rabbit

Result: Irritation to eyes, reversing within 7 days

#### Respiratory or skin sensitisation

##### Components:

**64742-48-9 / 64742-47-8:**

Test Type: Buehler Test

Exposure routes: Dermal

Species: Guinea pig

Result: Did not cause sensitisation on laboratory animals.

#### Germ cell mutagenicity

##### Components:

**64742-48-9 / 64742-47-8:**

Germ cell mutagenicity - Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

#### Carcinogenicity

##### Components:

**64742-48-9 / 64742-47-8:**

Carcinogenicity - Assessment : Not classifiable as a human carcinogen.

#### IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

#### Reproductive toxicity

##### Components:

**64742-48-9 / 64742-47-8:**

Reproductive toxicity - Assessment : Animal testing did not show any effects on fertility.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.



## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

#### STOT - single exposure

##### Components:

**64742-48-9 / 64742-47-8:**

Exposure routes: Inhalation

Target Organs: Central nervous system

Assessment: May cause drowsiness or dizziness., The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

#### Aspiration toxicity

##### Components:

**64742-48-9 / 64742-47-8:**

May be fatal if swallowed and enters airways.

#### Experience with human exposure

##### Product:

General Information : Prolonged skin contact may cause skin irritation.

#### Further information

##### Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects.

Solvents may degrease the skin.

---

## SECTION 12. ECOLOGICAL INFORMATION

#### Ecotoxicity

##### Components:

**64742-48-9 / 64742-47-8:**

Toxicity to fish : LL50 (Oncorhynchus mykiss (rainbow trout)): 10 mg/l  
Exposure time: 96 h  
Test Type: semi-static test

Toxicity to daphnia and other aquatic invertebrates : EL50 (Daphnia magna (Water flea)): 1.4 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : EL50 (Pseudokirchneriella subcapitata (green algae)): 1 mg/l  
End point: Growth rate  
Exposure time: 72 h  
Test Type: static test

Acute aquatic toxicity- As- : Toxic to aquatic life.

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

essment

Chronic aquatic toxicity- Assessment : Toxic to aquatic life with long lasting effects.

#### Persistence and degradability

##### Components:

**64742-48-9 / 64742-47-8:**

Biodegradability : aerobic  
Biodegradation: 61 %  
Exposure time: 28 d  
Remarks: Readily biodegradable

#### Bioaccumulative potential

No data available

#### Mobility in soil

No data available

#### Other adverse effects

##### Product:

Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances  
Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

---

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.  
Do not burn, or use a cutting torch on, the empty drum.

---

## SECTION 14. TRANSPORT INFORMATION

#### DOT (Department of Transportation):

UN1268, PETROLEUM DISTILLATES, N.O.S., CBL, III

IATA (International Air Transport Association): Not regulated as a dangerous good

# Safety Data Sheet

## Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

**IMDG-Code:** Not regulated as a dangerous good

**Special Notes:** : The flash point for this material is greater than 100 F (38 C). Therefore, in accordance with 49 CFR 173.150(f) non-bulk containers (<450L or <119 gallon capacity) of this material may be shipped as non-regulated when transported solely by land, as long as the material is not a hazardous waste, a marine pollutant, or specifically listed as a hazardous substance.

### SECTION 15. REGULATORY INFORMATION

**WHMIS Classification** : B3: Combustible Liquid  
D2B: Toxic Material Causing Other Toxic Effects

#### EPCRA - Emergency Planning and Community Right-to-Know Act

##### CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
**Naphthalene	91-20-3	100	*
**Toluene	108-88-3	1000	*
**Benzene	71-43-2	10	*

\*: Calculated RQ exceeds reasonably attainable upper limit.

##### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

**SARA 311/312 Hazards** : Flammable (gases, aerosols, liquids, or solids)  
Acute toxicity (any route of exposure)  
Skin corrosion or irritation  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)  
Aspiration hazard

**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

##### Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMCI Intermediate or Final VOC's (40 CFR 60.489).

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

#### Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

The following Hazardous Substances are listed under the U.S. CleanWater Act, Section 311, Table 116.4A:

108-88-3	**Toluene
71-43-2	**Benzene
100-41-4	**Ethylbenzene
91-20-3	**Naphthalene

The following Hazardous Chemicals are listed under the U.S. CleanWater Act, Section 311, Table 117.3:

108-88-3	**Toluene
71-43-2	**Benzene
100-41-4	**Ethylbenzene
91-20-3	**Naphthalene


#### Massachusetts Right To Know

71-43-2	**Benzene
---------	-----------

#### Pennsylvania Right To Know

64742-48-9 /	Naphtha (pet), hydrotreated heavy AND/OR
64742-47-8	Distillates (pet), hydrotreated light
108-88-3	**Toluene

#### California Prop 65

 **WARNING:** This product can expose you to chemicals including \*\*Cumene, \*\*Benzene, \*\*Ethylbenzene, \*\*Naphthalene, which is/are known to the State of California to cause cancer, and \*\*Toluene, \*\*Benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PHIL	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

**Special Notes:** : \*\* Other substances in the product which may present a health or environmental hazard.

# Safety Data Sheet


## Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

### SECTION 16. OTHER INFORMATION

**NFPA:**



**HMIS III:**

<b>HEALTH</b>	<b>2</b>
<b>FLAMMABILITY</b>	<b>2</b>
<b>PHYSICAL HAZARD</b>	<b>0</b>

0 = not significant, 1 = Slight,  
 2 = Moderate, 3 = High  
 4 = Extreme, \* = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

**Revision Date** : 09/03/2019

**Legacy SDS:** : 10000003584, R0014074

**Material number:**

16127027, 16126575, 16119511, 16104805, 16103549, 16098923, 16083905, 16062033, 504685, 547181, 547078, 102908, 689350, 579410, 86044, 554168, 87270, 103638, 53769, 70882, 53847, 53779, 732913, 705005, 16044171, 102360, 662188, 695035, 694956, 53802, 16048211, 715890, 622831, 20598, 53282, 594821, 70889, 86526, 657860, 508484, 508223, 554298, 554296, 554191, 554167, 554131, 554106, 53856, 103641, 53556, 53224, 16046724, 16036244, 16033332, 127746, 101826, 20597, 20596, 85982, 70879, 102995, 102695, 504573, 754617, 20594

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemi-

## Safety Data Sheet

### Solvent 142-66

Version 1.9

Revision Date: 09/03/2019

			calcs
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration
EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		