

Safety Data Sheet**TRITON™ X-405 (70% ACTIVES) SURFACTANT**

Version 1.4

Revision Date: 03/02/2020

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**Product name** : TRITON™ X-405 (70% ACTIVES) SURFACTANT**Recommended use of the chemical and restrictions on use**

Recommended use : Surfactant

Supplier or Repackaging Details**Company** : Univar Solutions USA, Inc.
Address : 3075 Highland Pkwy Suite 200
Downers Grove, IL 60515
United States of America (USA)**Manufactured By** : The Dow Chemical Company**Emergency telephone number:**Transport North America: CHEMTREC (1-800-424-9300)
CHEMTREC INTERNATIONAL Tel # 703-527-3887**Additional Information:** : Responsible Party: Product Compliance Department
E-mail: SDSNA@univarsolutions.com
SDS Requests: 1-855-429-2661
Website: www.univarsolutions.com**SECTION 2. HAZARDS IDENTIFICATION****GHS Classification**

Skin irritation : Category 2

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H318 Causes serious eye damage.Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves/ eye protection/ face protection.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P332 + P313 If skin irritation occurs: Get medical advice/ atten-

Safety Data Sheet

TRITON™ X-405 (70% ACTIVES) SURFACTANT

Version 1.4

Revision Date: 03/02/2020

tion.
P362 Take off contaminated clothing and wash before reuse.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

CAS-No.	Chemical name	Weight percent
9036-19-5	Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	60 - 90
25322-68-3	Polyethylene glycol	0 - 5

Any Concentration shown as a range is due to batch variation.

SECTION 4. FIRST AID MEASURES

- General advice : Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : If skin irritation persists, call a physician.
If on skin, rinse well with water.
If on clothes, remove clothes.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.
In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
Take victim immediately to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Never give anything by mouth to an unconscious person.
Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Safety Data Sheet

TRITON™ X-405 (70% ACTIVES) SURFACTANT

Version 1.4

Revision Date: 03/02/2020

Suitable extinguishing media	: Carbon dioxide (CO ₂) Dry chemical Foam Water spray
Unsuitable extinguishing media	: High volume water jet
Specific hazards during fire-fighting	: During a fire, irritating or toxic decomposition products may be generated. Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national

Safety Data Sheet

TRITON™ X-405 (70% ACTIVES) SURFACTANT

Version 1.4

Revision Date: 03/02/2020

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Storage period : 24 Months

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

CAS-No.	Components	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
25322-68-3	Polyethylene glycol	TWA	10 mg/m ³	US WEEL
		TWA (aerosol)	10 mg/m ³	US WEEL

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.
In the case of vapour formation use a respirator with an approved filter.

Hand protection
Material : chemical resistant

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : Impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures : When using do not eat or drink.
When using do not smoke.
Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Safety Data Sheet**TRITON™ X-405 (70% ACTIVES) SURFACTANT**

Version 1.4

Revision Date: 03/02/2020

Colour	: yellow
Odour	: mild
Odour Threshold	: No data available
pH	: 6 - 10.3 @ 20 - 25 °C (68 - 77 °F)
Freezing Point (Pour point)	: -6 °C (21 °F)
Boiling Point (Boiling point/boiling range)	: 101 °C (214 °F) (1013 hPa)
Flash point	: Not applicable
Evaporation rate	: 0.70 - 0.79 (Butyl Acetate = 1)
Flammability (solid, gas)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: 15 - 17 mmHg @ 20 °C (68 °F)
Relative vapour density	: 0.62 @ 20 - 25 °C (68 - 77 °F) (Air = 1.0)
Relative density	: 1.076 - 1.10 @ 20 °C (68 °F) Reference substance: (water = 1)
Density	: No data available
Solubility(ies) Water solubility	: completely soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Auto-ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity Viscosity, kinematic	: 665 mm ² /s @ 25 °C (77 °F)

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No dangerous reaction known under conditions of normal use.

Safety Data Sheet**TRITON™ X-405 (70% ACTIVES) SURFACTANT**

Version 1.4

Revision Date: 03/02/2020

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: Keep away from heat, flame, sparks and other ignition sources. Possible emission of gaseous decomposition products may lead to a dangerous pressure build-up.
Incompatible materials	: Strong acids and strong bases Strong oxidizing agents

SECTION 11. TOXICOLOGICAL INFORMATION**Acute toxicity****Components:****9036-19-5:**

Acute oral toxicity	: LD50 (Rat): 1,900 mg/kg Assessment: The component/mixture is moderately toxic after single ingestion.
Acute inhalation toxicity	: Remarks: No data available
Acute dermal toxicity	: LD50 (Rabbit): > 2,000 mg/kg

Skin corrosion/irritation**Components:****9036-19-5:**

Species: Rabbit
Result: Irritating to skin.

Serious eye damage/eye irritation**Components:****9036-19-5:**

Species: Rabbit
Result: Risk of serious damage to eyes.

Respiratory or skin sensitisation**Components:****9036-19-5:**

Remarks: No data available

Safety Data Sheet**TRITON™ X-405 (70% ACTIVES) SURFACTANT**

Version 1.4

Revision Date: 03/02/2020

Germ cell mutagenicity**Components:****9036-19-5:**

Germ cell mutagenicity - Assessment : Mutagenicity classification not possible from current data

Carcinogenicity**Components:****9036-19-5:**

Carcinogenicity - Assessment : Carcinogenicity classification not possible from current data.

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

ACGIH

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

Reproductive toxicity**Components:****9036-19-5:**

Reproductive toxicity - Assessment : Fertility classification not possible from current data.

Teratogenicity - Assessment : Embryotoxicity classification not possible from current data.

STOT - single exposure**Components:****25322-68-3:**

Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:**

Safety Data Sheet**TRITON™ X-405 (70% ACTIVES) SURFACTANT**

Version 1.4

Revision Date: 03/02/2020

9036-19-5:Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 7.2 mg/l
Exposure time: 96 hToxicity to daphnia and other : (Daphnia magna (Water flea)): 8.6 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : Remarks: No data available

Acute aquatic toxicity- As- : Toxic to aquatic life.
sessmentChronic aquatic toxicity- As- : Toxic to aquatic life with long lasting effects.
sessment**Persistence and degradability****Components:****9036-19-5:**

Biodegradability : Remarks: No data available

25322-68-3:**Bioaccumulative potential**

No data available

Mobility in soil

No data available

Other adverse effects**Product:**Ozone-Depletion Potential : Regulation: 40 CFR Protection of Environment; Part 82 Pro-
tection of Stratospheric Ozone - CAA Section 602 Class I
Substances
Remarks: This product neither contains, nor was manufac-
tured with a Class I or Class II ODS as defined by the U.S.
Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).Additional ecological infor- : An environmental hazard cannot be excluded in the event of
mation unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**Waste from residues : Dispose of in accordance with all applicable local, state and
federal regulations.
For assistance with your waste management needs - including

Safety Data Sheet

TRITON™ X-405 (70% ACTIVES) SURFACTANT

Version 1.4

Revision Date: 03/02/2020

disposal, recycling and waste stream reduction, contact Univar Solutions ChemCare: 1-800-909-4897

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT (Department of Transportation): Not regulated as a dangerous good

UNRTDG

Not regulated as a dangerous good

IATA (International Air Transport Association): Not regulated as a dangerous good

IMDG-Code: Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

WHMIS Classification : D2B: Toxic Material Causing Other Toxic Effects

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
1,4-Dioxane	123-91-1	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

The following chemical(s) are listed as HAP under the U.S. Clean Air Act, Section 12 (40 CFR 61):

123-91-1 1,4-Dioxane

Safety Data Sheet

TRITON™ X-405 (70% ACTIVES) SURFACTANT

Version 1.4

Revision Date: 03/02/2020

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCMII Intermediate or Final VOC's (40 CFR 60.489):

25322-68-3	Polyethylene glycol
123-91-1	1,4-Dioxane

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations

Massachusetts Right To Know

123-91-1	1,4-Dioxane	0 - 0.1 %
----------	-------------	-----------

Pennsylvania Right To Know

9036-19-5	Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	60 - 90 %
7732-18-5	Water	30 - 50 %
25322-68-3	Polyethylene glycol	0 - 5 %

New Jersey Right To Know

9036-19-5	Poly(oxy-1,2-ethanediyl), .alpha.-[(1,1,3,3-tetramethylbutyl)phenyl]-.omega.-hydroxy-	60 - 90 %
7732-18-5	Water	30 - 50 %
25322-68-3	Polyethylene glycol	0 - 5 %

California Prop 65

123-91-1	1,4-Dioxane	WARNING! This product contains a chemical known to the State of California to cause cancer.
----------	-------------	---

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
DSL	: All components of this product are on the Canadian DSL
AICS	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory
ENCS	: Not in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory

Safety Data Sheet


TRITON™ X-405 (70% ACTIVES) SURFACTANT

Version 1.4

Revision Date: 03/02/2020

SECTION 16. OTHER INFORMATION

NFPA:



HMIS III:

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

The information accumulated is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made become available subsequently to the date hereof, we do not assume any responsibility for the results of its use. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This SDS has been prepared by Univar Solutions Product Compliance Department (1-855-429-2661) SDSNA@univarsolutions.com.

Revision Date : 03/02/2020

Legacy SDS: : R0383501

Material number:

16143321, 16158980, 16141033, 16140797, 16143297, 105363, 58922, 75299, 72889, 87886, 105966, 16070453, 21837, 644444, 584049, 574281, 71526, 105572, 72601, 91680, 55125, 73207, 105651, 148243

Key or legend to abbreviations and acronyms used in the safety data sheet			
ACGIH	American Conference of Government Industrial Hygienists	LD50	Lethal Dose 50%
AICS	Australia, Inventory of Chemical Substances	LOAEL	Lowest Observed Adverse Effect Level
DSL	Canada, Domestic Substances List	NFPA	National Fire Protection Agency
NDSL	Canada, Non-Domestic Substances List	NIOSH	National Institute for Occupational Safety & Health
CNS	Central Nervous System	NTP	National Toxicology Program
CAS	Chemical Abstract Service	NZIoC	New Zealand Inventory of Chemicals
EC50	Effective Concentration	NOAEL	No Observable Adverse Effect Level
EC50	Effective Concentration 50%	NOEC	No Observed Effect Concentration

Safety Data Sheet

TRITON™ X-405 (70% ACTIVES) SURFACTANT

Version 1.4

Revision Date: 03/02/2020

EGEST	EOSCA Generic Exposure Scenario Tool	OSHA	Occupational Safety & Health Administration
EOSCA	European Oilfield Specialty Chemicals Association	PEL	Permissible Exposure Limit
EINECS	European Inventory of Existing Chemical Substances	PICCS	Philippines Inventory of Commercial Chemical Substances
MAK	Germany Maximum Concentration Values	PRNT	Presumed Not Toxic
GHS	Globally Harmonized System	RCRA	Resource Conservation Recovery Act
>=	Greater Than or Equal To	STEL	Short-term Exposure Limit
IC50	Inhibition Concentration 50%	SARA	Superfund Amendments and Reauthorization Act.
IARC	International Agency for Research on Cancer	TLV	Threshold Limit Value
IECSC	Inventory of Existing Chemical Substances in China	TWA	Time Weighted Average
ENCS	Japan, Inventory of Existing and New Chemical Substances	TSCA	Toxic Substance Control Act
KECI	Korea, Existing Chemical Inventory	UVCB	Unknown or Variable Composition, Complex Reaction Products, and Biological Materials
<=	Less Than or Equal To	WHMIS	Workplace Hazardous Materials Information System
LC50	Lethal Concentration 50%		